

# Amistar Xtra

280 SC

**Systemic and transitional fungicide  
To control many diseases of wheat and barley**



## Active ingredient :-

**Azoxystrobin (200g/L) SC**  
**Cyproconazole ( 80 g/L ) SC**

## Introduction :-

**A systemic fungicide that control leaf spot fungi, rusts, powdery mildew and leaf spot in wheat and barley crops. It is used preventively or curatively at the onset of infection.**


# Examples of disease on wheat and barley




**Helminthosporium spp.**




**Rusts**



**Powdery mildew**



**Septoria nodorum**



**Septoria tritici**

## Why using Amistar Xtra :-

It is used to combat fungus that affects the leaves and shoots, which prolongs the greening period and ensures a good filling of the grains.

Amistar xtra is also transmitted in the plant through the vessels to provide gradual absorption through the leaves to ensure higher protection and for a longer period. Appropriate and gradual distribution in the plant means securing protection for new growth, and a larger quantity of the crop with higher quality for better marketing.



UNTREATED



 Amistar Xtra



## Dose and Usage :-

Crop	Disease	Dose L/Ha	Application time	PHI
Wheat and barley	Septoria tritici, Septoria nodorum	0.5 L / Ha	The treatment is done preventively or at the onset of symptoms in the field	30 day
	Puccinia spp.			
	Erysiphe graminis			
	Helminthosporium spp.			

## Packing :-

Amistar Xtra is available in 5 Liter Gallon